IN THE CLAIMS

1. (currently amended) In a communications system that supports conference calls that include an audio portion and a video portion, a method for selecting a primary video image from a plurality of video images, the method comprising the steps of:

receiving audio data in a digital form;

determining an amount of <u>the</u> audio data generated by each participant of a plurality of participants in a conference call;

selecting a dominating audio participant from the plurality of participants based upon the amount of the audio data generated by each participant of the plurality of participants; and

selecting a primary video image based on the dominating audio participant.

- \mathcal{M}
- 2. (currently amended) The method of claim 1 wherein the step of determining an amount of <u>the</u> audio data comprises counting a number of audio packets generated by each participant of the plurality of participants.
- 3. (currently amended) The method of claim 1 wherein the step of determining an amount of <u>the</u> audio data comprises counting an amount of audio samples in audio packets.
- 4. (original) The method of claim 1 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.
- 5. (original) The method of claim 1 further comprising the step of maintaining the primary video image for at least a predetermined period of

6. (currently amended) In a communications system that supports conference calls that include an audio portion and a video portion, a method for selecting a primary video image from a plurality of video images, the method comprising the steps of:

receiving audio data in a digital form;

determining an amount of <u>the</u> audio data generated by each participant of a plurality of participants in a conference call;

determining whether a difference between an amount of <u>the</u> audio data generated by one participant of the plurality of participants and an amount of <u>the</u> audio data generated by other participants of the plurality of participants exceeds a predetermined threshold;

if the difference exceeds the predetermined threshold, then selecting a dominating audio participant from the plurality of participants based upon the amount of the-audio data generated by each participant of the plurality of participants; and

selecting a primary video image based on the dominating audio participant.

- 7. (currently amended) The method of claim 6 wherein the dominating audio participant generates an amount of <u>the</u> audio data that exceeds an amount of <u>the</u> audio data generated by each of a plurality of remaining participants of the plurality of participants.
- 8. (original) The method of claim 6 further comprising the step of: if the difference does not exceed the predetermined threshold, then determining a loudness of audio for each participant of the plurality of participants; and

al

selecting the dominating audio participant based on the loudness for each participant of the plurality of participants.

- 9. (currently amended) The method of claim 6 wherein the step of determining an amount of <u>the</u> audio data comprises counting a number of audio packets generated by each participant of the plurality of participants.
- 10. (currently amended) The method of claim 6 wherein the step of determining an amount of the-audio data comprises counting an amount of audio samples in audio packets.
- 11. (original) The method of claim 6 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.
- 12. (original) The method of claim 6 further comprising the step of maintaining the primary video image for at least a predetermined period of time.
- 13. (currently amended) In a communications system that supports conference calls that include an audio portion and a video portion, an apparatus for selecting a primary video image from a plurality of video images, the apparatus comprising:

a first processor that <u>:</u>
 receives audio data in a digital form; and
 determines an amount of the audio data generated by each
participant of a plurality of participants in a conference call;
a second processor that selects a dominating audio participant

91

from the plurality of participants based upon the amount of <u>the</u> audio data generated by each participant of the plurality of participants; and

a third processor that selects a primary video image based on the dominating audio participant.

- 14. (original) The apparatus of claim 13 wherein the first processor, the second processor and the third processor are a same processor.
- 15. (currently amended) The apparatus of claim 13 wherein at least two of the first processor, the second processor and the third processor are a same processor.
- 16. (original) The apparatus of claim 13 wherein the primary video image is larger than a plurality of remaining video images of the plurality of video images.
- 17. (currently amended) The apparatus of claim 13 wherein the first processor determines an amount of <u>the</u> audio data by counting a number of audio packets generated by each participant of the plurality of participants.
- 18. (currently amended) The apparatus of claim 13 wherein the first processor determines an amount of <u>the</u> audio data by counting an amount of audio samples in audio packets.

0(